WHAT IS CLAIMED IS:

A display drafting apparatus comprising:

means for selecting a device of a controller for use,

and

C

1.2

15

10

means for setting up the display drafting information such as a display component, a display mode and a display function for said selected device.

2. The display drafting apparatus according to claim 1, further comprising:

means for saving only the device selection information for the controller selected and created by said device selecting means, wherein

the device selection information can be saved, even if said selected device is a device for which the display drafting information is not set up.

The display drafting apparatus according to claim 1, additionally having a function of a control program
schema generator for said controller therein, further comprising:

means for allowing the device selection information for said controller selected and created by said device selecting means to be used with said control program schema generator.

25

10

15

20

4. The display drafting apparatus according to claim 3, further comprising:

means for appending a comment to the device of said controller selected by said device selecting means, and

means for sharing the appended comment between said display drafting apparatus and said control program schema generator.

5. The display drafting apparatus according to claim 1, further comprising:

control program schema generating means for said controller, and

means for allowing the use of the device selection information for said controller selected and created by said device selecting means, when a program schema is generated by said generating means.

6. A display drafting system comprising a display drafting apparatus, a display and a controller according to claim 5 which are connected via a communication line, wherein

when said system is connected in series in the order of said display drafting apparatus, said display, and said controller via the communication line,

said display drafting system comprising; means for transferring the drafting data among the drafting data created

5

10

by said display drafting apparatus and the control program data to said display and the control program data via said display to said controller, and

when said system is connected in series in the order of said display drafting apparatus, said controller, and said display via the communication line,

said display drafting system comprising; means for transferring the control program data among the drafting data created by said display drafting apparatus and the control program data to said controller and the drafting data via said controller to said display.